AP Chemistry Summer Assignment Part I

Due Date: July 1st

Summer Assignment Part I will count as the first hw assignment for the 1st marking period. You must submit it via the google form , <u>https://forms.gle/sggiNUR6AzXZhh1NA</u> The following questions will be found on the google form.

- 1. Proceed to the following website http://www.jpsaos.com/tujague Navigate to the AP Chemistry page and Click on the *Summer Review* link and then on the first link to submit your email address. *Have you submitted your email address as well as a parent's email address? (Yes or No answer is fine)*
- 2. Have you joined the Google Classroom "Team AP Chem 2024-2025?" Class code hSyj6gvn (Yes or No answer is fine)
- 3. Have you printed up the safety contract, read it, and had you and your parents sign it? (Yes or No answer is fine)
- 4. Download the file titled "Advice from AP Chem Alumni" and read it thoroughly. We believe that the words of fellow students will make more of an impression on you than if I said the same thing. Take the advice and tips on how to be successful in this class. *What alumni advice struck you the most? What did you learn from reading what they suggested?*
- 5. Why are you taking AP Chemistry? (Be completely honest.)
- 6. Proceed to the following website http://www.jpsaos.com/pittenger/APchemistry.htm Click the link for *Reference Materials*. On this page, click the link and download the file titled "Success in AP Chemistry" and read it thoroughly. *What are you hoping to get out of this course? What habits and behaviors are you willing and able to commit to for a greater chance of success?*
- 7. What topic from Honors Chem do you feel is your strongest? What topic do you feel is your weakest?
- 8. What are you looking forward to the most in this class? What, if anything, are you fearing the most about this class?
- 9. The Summer Assignment Part II contains integral basic information that you MUST know BEFORE school starts in September. Topics range from memorization of ion charges and polyatomic ions, naming and writing formulas for ionic and covalent compounds and acids, and basic mathematical skills such as significant figures, dimensional analysis (unit conversion), and stoichiometry. **Do you know** *all of the charges for the representative elements? (Yes or No answer is fine) Do you know the charges for many of the common polyatomic ions (sulfate, sulfite, nitrate, nitrite, etc.)? If No, then please tell us how you will study them this summer.*
- 10. The Summer Assignment Part III contains sample problems. These problems must be completed and handed in on the first day of School. *Are you prepared to begin and finish the Summer Assignment Part II and Part III before Labor Day? (Yes or No answer is fine) If No, then please give a reason as to why you can't meet this deadline.*

AP Chemistry Summer Assignment Part II

Due Date: Important Concepts to Know for First Day of School

Please thoroughly read chapters 1,2, and 3 this summer (Zumdahl, Steven S., Zumdahl, Susan A. Chemistry. Houghton Mifflin Company; New York, 1997.) 8th Edition.

1. Charges of common elements and polyatomic ions

Variable Valences for Transition Metals

Element Name	Symbol	Charge	Stock Name	Classical Name	IONS LIST					
Chromium	Cr	+2	Chromium (II)		acetate	$C_2H_3O_2^-$	ferric	Fe ³⁺ (yellow)	oxalate	$C_2O_4^{2-}$ O^{2-}
Chronnum	u	+3	Chromium (III)		aluminum	Al^{3+}	ferrous	Fe ²⁺ (green)	oxide	
Manganese	Mn	+2	Manganese (II)		ammonium	NH4 ⁺	fluoride	F	perbromate	BrO ₄
manyanese	PILI	+3	Manganese (III)		barium	Ba ²⁺	hydrogen	H ⁺	perchlorate	ClO_4^-
Iron	Fe	+2	Iron (II)	Ferrous	bicarbonate	HCO ₃ ⁻	hydronium	H_3O^+	periodate	IO ₄
11011	Te	+3	Iron (III)	Ferric	bisulfate	HSO ₄ ⁻	hydroxide	OH	permanganate	MnO_4^- (purple) O_2^{2-}
Cobalt	Co	+2	Cobalt (II)		bisulfide	HS ⁻	hypobromite	BrO	peroxide	O2-
Cobait	0	+3	Cobalt (III)		bisulfite	HSO ₃ ⁻	hypochlorite	CIO	phosphate	PO ₄ ³⁻ P ³⁻
Coppor	Cu	+1	Copper (I)	Cuprous	bromate	BrO ₃ ⁻	hypoiodite	IO ⁻	phosphide	
Copper	Cu	+2	Copper (II)	Cupric	bromide	Br	iodate	IO ₃ ⁻	phosphite	PO3 ³⁻
Lead	Pb	+2	Lead (II)	Plumbous	bromite	BrO_2^- Ca^{2+}	iodide	10-	potassium	K ⁺
Leau	PD	+4	Lead (IV)	Plumbic	calcium	Ca ⁻	iodite	IO_2^- Pb ²⁺	silver	Ag ⁺
Mercury	Hq	+1	Mercury (I)	Mercurous	carbonate	CO3 ²⁻	lead	Pb	sodium	Na ⁺
Mercury	ng	+2	Mercury (II)	Mercuric	chlorate	ClO ₃ ⁻ CГ	lithium	Li ⁺ Mg ²⁺	stannic	$\frac{\mathrm{Sn}^{4+}}{\mathrm{Sn}^{2+}}$
Tin	Sn	+2	Tin (II)	Stannous	chlorite	ClO ₂ ⁻	magnesium	Mg Mn ²⁺	stannous	Sn Sr ²⁺
1111	511	+4	Tin (IV)	Stannic			manganese	Hg ²⁺	strontium	
Gold	Au	+1	Gold (I)		chromate	CrO_4^{2-} (yellow) Cr^{3+}	mercuric	Hg ⁻	sulfate	SO4 ²⁻ S ²⁻
Gold	Au	+3	Gold (III)		chromium	Cu ²⁺ (blue)	mercurous	Hg_2^{2+} Ni ²⁺ (green)	sulfide	SO3 ²⁻
Cilver	10	+1	Silver		cupric		nickel		sulfite	
Silver	Ag	+2 (rarely)	Silver (II)		cuprous	Cu ⁺ (green)	nitrate	NO ₃ ⁻ N ³⁻	thiocyanate thiosulfate	SCN
Bismuth	Bi	+3	Bismuth (III)		cyanide	$Cr_2O_7^{2-}$ (orange)				$\frac{S_2O_3^{2-}}{Zn^{2+}}$
bismum	DI	+5	Bismuth (V)		dichromate	Cr ₂ O ₇ (orange)	nitrite	NO ₂ ⁻	zinc	Zn
Antino anti	Sb	+3	Antimony (III)							
Antimony	SD	+5	Antimony (V)							
Cadmium	Cd	+s	Cadmium]					
Zinc	Zn	+2	Zinc]					

2. Rules for Naming Acids http://www.jpsaos.com/pittenger/naming_flowchart.pdf

a. When the name of the anion ends in –ide, the acid name begins with the prefix hydro-, the stem of the anion has the suffix –ic and it is followed by the word "acid".

For example: HCI: CI- is chloride, so HCI = hydrochloric acid

b. When the anion name ends in –ite, the acid name is the stem of the anion with the suffix –ous, followed by the word "acid".

For example: CIO_2^- is the chlorite ion, so $HCIO_2$ = chlorous acid

c. When the anion name ends in –ate, te acid name is the stem of the anion with the suffix –ic, followed by the word "acid"

For example: CIO_3^- is the chlorate ion, so $HCIO_3$ = chloric acid

d. When the anion name begins with per-, the acid name begins with per- and the stem of the anion has the suffix –ic and it is followed by the word "acid"

For example: CIO_4 is the perchlorate ion, so $HCIO_4$ = perchloric acid

3. Rules for Naming Ionic Compounds http://www.jpsaos.com/pittenger/naming_flowchart.pdf

- a. Balance charges overall charges for compound should always = 0
- b. Cation is always written first (in name and in formula)
- c. Change the ending of the anion (if an element) to –ide. If a polyatomic ion, the ion name does not change.

4. Solubility Rules http://www.jpsaos.com/pittenger/appowerpoint/precipitationdiagram.pdf

- a. All compounds containing alkali metal cations or the ammonium ion are soluble.
- b. All compounds containing NO_3^- , CIO_4^- , CIO_3^- , and $C_2H_3O_2^-$ anions are soluble.
- c. All chlorides, bromides, and iodides are soluble except those containing Ag⁺, Pb²⁺, or Hg²⁺.
- d. All sulfates are soluble except those containing Hg²⁺, Pb²⁺, Sr²⁺, Ca²⁺, or Ba²⁺.
- e. All hydroxides are insoluble, except compounds of the alkali metals, ammonium, Ca²⁺, Sr²⁺, or Ba²⁺.
- f. All compounds containing PO₄³⁻, S²⁻, CO₃²⁻, and SO₃²⁻ are insoluble, except compounds of the alkali metals or ammonium.

5. Rules for Determining Oxidation Number

Oxidation Number: a number assigned to an atom in a molecular compound or molecular ion that indicates the general distribution of electrons among the bonded atoms.

- a. The oxidation number of any uncombined element is zero (0).
- b. The oxidation number of a monatomic ion is equal to the charge on the ion.
- c. The more electronegative element in a binary compound is assigned the number equal to the charge it would have if it were an ion.
- d. The oxidation number of fluorine in a compound is always -1.
- e. Oxygen has an oxidation number of -2 unless it is combined with fluorine (where it will be +2) or it is in a peroxide (where it will be -1).
- f. The oxidation state of hydrogen in most of its compounds is +1 unless it is combined with a metal, in which case it will be -1.
- g. In compounds, the elements of Groups 1 and 2, as well as aluminum have oxidation numbers of +1, +2, and +3, respectively.
- h. The sum of the oxidation numbers of all atoms in a neutral compound is 0.
- i. The sum of the oxidation numbers of all atoms in a polyatomic ion is equal to the charge of the ion.

6. Strong Acids and Strong Bases

	Babbo		
	Strong Acid	U,	Strong Base
HCI	hydrochloric acid	LiOH	lithium hydroxide
HBr	hydrobromic acid	NaOH	sodium hydroxide
HI	hydroiodic acid	КОН	potassium hydroxide
HCIO ₄	perchloric acid	RbOH	rubidium hydroxide
HCIO ₃	chloric acid	CsOH	cesium hydroxide
HIO ₄	periodic acid	Ca(OH) ₂ *	calcium hydroxide
H_2SO_4	sulfuric acid	Sr(OH) ₂ *	strontium hydroxide
HNO ₃	nitric acid	Ba(OH)2*	barium hydroxide
	*	<u>_</u>	100111

* These bases completely dissociate in solutions of 0.01 M or less. There are other strong bases than those listed, but they are not often encountered

7. Significant Figures

On the AP Chemistry exam, significant figures matter and we will not have time to review them through the year, however, you will be graded upon using sig. figs. all year long. It is something you must know.

a. Go to the following websites and review sig. figs.

http://www.chem.sc.edu/faculty/morgan/resources/sigfigs/index.html

http://science.widener.edu/svb/tutorial/sigfigures.html

b. When using molar mass in stoichiometry problems, never let the molar mass limit the number of sig. figs. in your final answer.

For example: How many moles of Carbon are there in 44.0 grams of Carbon?

There are 3 sig. figs. in 44.0, so the molar mass of carbon that you use in your calculation must have 3 or more sig. figs. MM of carbon is 12.01 g/mol and **not** 12 g/mol.

8. Exact and Inexact Numbers

Click on the following link (reference section of our website) to learn more about exact and inexact numbers.

http://www.jpsaos.com/pittenger/exactvsinexact.doc

Date

Summer Assignment Part III

Due Date: First Day of School

Complete the following Problem Sets and bring this in on the first day of school. Email us if you have any questions during the summer.

Problem Set 1- Math Basics

1. How many significant figures are in each of the following?

a. 12	e. 0.0000101
b.10980	f. 1.01 x 10 ⁻⁵
c. 2001	g. 1000.
d. 2.001 x 10 ³	h. pH 2.1

2. Use scientific notation to express the number 480 to

a. one significant figure	c. three significant figures
b. two significant figures	d. four significant figures

3. Perform the following mathematical operations and express each result to the correct number of significant figures.

a. 97.381 ÷ 4.2502 + 0.99195=	c.1.00914 ÷ 0.87104 + 1.2012=
b. 171.5 + 72.915 – 8.23=	d. 21.901 – 13.21 – 4.0215 =

4. Perform the following mathematical operations, and express each result to the correct number of significant figures.

- a. (0.102 x 0.0821 x 273) ÷ 1.01=
- b. $0.14 \times (6.022 \times 10^{23}) =$
- c. $(4.0 \times 10^4) \times (5.021 \times 10^{-3}) \times (7.34993 \times 10^2) =$
- d. $(2.00 \times 10^6) \div (3.00 \times 10^{-7}) =$
- e. 4.184 x 100.62 x (25.27 24.16)=
- f. [(8.925 8.904) ÷ 8925] x 100=
- g. (9.04 + 8.23 + 21.954 + 81.0) ÷ 3.1416=
- h. (9.2 x 100.65) ÷ (8.321 + 4.026)=
- i. 0.6154 + 2.07 2.114 =
- j. 8.27(4.987 4.962)=
- k. (9.5 + 4.1 + 2.8 + 3.175) ÷ 4= (assume that this operation is taking the average of four numbers, therefore the 4 in the denominator is an exact number.)
- I. $[(9.025 9.024) \div 9.025] \times 100=$ (100 is exact)

5. The density of aluminum is 2.70 g/cm³. Express this value in units of kilograms per cubic meter and pounds per cubic foot.

6. A material will float on the surface of a liquid if the material has a density less than that of the liquid. Given that the density of water is approximately 1.0 g/mL, will a block of material having a volume of 1.2×10^4 in³ and weighing 350 lb float or sink when placed in a reservoir of water?

- 7. A star is estimated to have a mass of 2 x 10^{36} kg. Assuming it to be a sphere of average radius 7.0 x 10^{5} km, calculate the average density of the star in units of grams per cubic centimeter.
- 8. A rectangular block has dimensions 2.9 cm x 3.5 cm x 10.0 cm. The mass of the block is 615.0 g. What are the volume and density of the block?
- 9. Calculate the percentage error for the each case:
 - a. The density of aluminum block determined in an experiment was 2.64 g/cm³. The true value is 2.70 g/cm³.
 - b. The experimental determination of iron in a sample of iron ore was 16.48%. The true value was 16.12%.

Problem Set 2- Atoms, lons, and Compounds

- 1. You have a chemical in a sealed glass container filled with air. The system has a mass of 250.0 g. The chemical is ignited by means of a magnifying glass focusing sunlight on the reactant. After the chemical is completely burned, what is the mass of the setup? Explain your answer.
- 2. Find the empirical and molecular formulas of the following compounds.
 - a. 73.8% carbon, 8.7% hydrogen, 17.5% nitrogen, molar mass = 166.0g/mol
 - b. 80.0% carbon, 20.0% hydrogen, molar mass = 30.0 g/mol
- 3. In the periodic table, how many elements are found in
 - a. The second period?
 - b. The third period?
 - c. Group 2A?
 - d. The oxygen family?
- 4. Give the number of protons and neutrons in the nucleus of each of the following atoms:

e. The fourth period?

f. The nickel group?

q. Group 8A?

a.	²³⁸ Pu ⁶⁵ 29Cu ⁵² 24Cr	d. 27 ⁶⁰ /27
b.	⁶⁵ ₂₉ Cu	e. ⁵² ₂₄ Cr
C.	⁵² ₂₄ Cr	f ⁴ ₂ He

5. Complete the following table:

Symbol	Number of protons in nucleus	Number of neutrons in the nucleus	Number of electrons	Net charge
	33	42		3+
$^{128}_{52}Te^{2}$			54	
	16	16	16	
	81	123		1+
¹⁹⁵ ₇₈ Pt				

6. Would you expect each of the following atoms to gain or lose electrons when forming ions? What ion is the most likely to form in each case?

a.	Ra	b. In	c. P	d. Te	e. Br	f. Rb
а.	i ta	D. III	0.1	u. 10	C. DI	1.130

7. Name each of the following compounds:

a. Rb ₂ O	f. TiCl ₄	k. CsF
b. AlI ₃	g. CrO ₂	I. Li ₃ N
c. FeBr ₃	h. Cr ₂ O ₃	m. Ag ₂ S
d. Hg ₂ O	i. NaH	n. Sr ₃ P ₂
e. CoS	j. ZnCl ₂	o. MnO ₂

8. Write the formula for each fo the following compounds:

а.	Cesium bromide	i. Tin (II) fluoride
b.	Barium sulfate	j. ammonium acetate
C.	Chlorine monoxide	k. mercury (I) chloride
d.	Ammonium chloride	I. Potassium cyanide
e.	Silicon tetrachloride	m. Lead (IV) sulfide
f.	Beryllium oxide	n. Lead (II) sulfide
g.	Sodium dihydrogen phosphate	o. silicon tetrachloride
h.	Lithium nitride	p. sodium peroxide

Problem Set 3- Stoichiometry

 Naturally occurring sulfur consists of four isotopes, ³²S(95.0%), ³³S(0.76%), ³⁴S(4.22%), and ³⁵S(0.014%). Using these data, calculate the atomic weight of naturally occurring sulfur. The masses of the isotopes are given in the table below.

Isotope	Atomic Mass (amu)
³² S	31.91
³³ S	32.97
³⁴ S	33.97
³⁵ S	35.97

- 2. A noble gas consists of three isotopes of masses 19.99amu, 20.99amu, and 21.99amu. The relative abundance of these isotopes is 90.92%, 0.257%, and 8.82% respectively. What is the average atomic mass of this noble gas? What element might this be?
- 3. An element "X" has five major isotopes, listed below along with their relative abundances. What is this element? Does the atomic mass you calculated based on these data agree with that listed in your periodic table?

Isotope	%Natural Abundance	Atomic Mass
⁴⁶ X	8.0%	45.95269
⁴⁷ X	7.3%	46.951764
⁴⁸ X	73.8%	47.947947
⁴⁹ X	5.5%	48.947841
⁵⁰ X	5.4%	49.944792

- 4. How many moles are in a sample of 300 atoms of nitrogen? How many grams?
- 5. If you buy 38.9 moles of M & M's, how many M & M's do you have?
- 6. A sample of sulfur has a mass of 8.37g. How many moles are in the sample? How many atoms?
- 7. Give the number of moles of each elements present in 1.0 mole of each of the following substances?
 - a. Hg_2I_2
 - b. LiH
 - c. PbCO₃
 - d. $Ba_2(AsO_4)_2$
 - e. RbOH $2H_2O$
 - f. H_2SiF_6
- 8. How many grams of zinc are in 1.16 x 10²² atoms of zinc?
- 9. Calculate the molar masses of each of the following:
 - a. Cu_2SO_4 c. $C_{10}H_{16}O$
 - b. NH₄OH d. Zr(SeO₃)₂
- e. Ca₂Fe(CN)₆●12H₂O f. Cr₄(P₂O₇)₃
- 10. What is the mass of 4.28 x 10²² molecules of water?
- 11. How many milligrams of Br_2 are in 4.8 x 10²⁰ molecules of Br_2 ?
- 12. How many sodium ions are present in each of the following:
 - a. 2 moles of sodium phosphate
 - b. 5.8 g of sodium chloride
 - c. A mixture containing 14.2 grams of sodium sulfate and 2.9 grams of sodium chloride?

- 13. Determine the molar mass of $KAI(SO_4)_2 \bullet 12H_2O$.
- 14. How many moles of cadmium bromide, CdBr₂, are in a 39.25 gram sample?
- 15. Bauxite, the principle ore used in the production of aluminum cans, has a molecular formula of $Al_2O_3 \bullet 2H_2O$.
 - a. Determine the molar mass of bauxite.
 - b. How many grams of Al are in 0.58 moles of bauxite?
 - c. How many atoms of Al are in 0.58 moles of bauxite?
 - d. What is the mass in grams of 2.1 x 10²⁴ formula units of bauxite?
- 16. Calculate the mass percent of CI in each of the following compounds: a. CIF c. CuCl₂
 - b. HClO₂ d. PuOCl
- 17. Calculate the mass percent of each element in potassium ferricyanide, K₃Fe(CN)₆.
- 18. Calculate the mass percent of silver in each of the following compounds:
 a. AgCl
 b. AgCN
 c. AgNO₃
- 19. Fill in the blanks to balance the following chemical equations:
 - a. ____Agl + ____Na_2S \rightarrow ___Ag_2S + ____Nal b. ___(NH_4)_2Cr_2O_7 \rightarrow ___Cr_2O_3 + ___N2 + ____H2O c. ____Na_3PO_4 + ____HCI \rightarrow ___NaCl + ____H_3PO_4 d. ____TiCl_4 + ____H2O \rightarrow ____TiO_2 + ___HCl e. ____Ba_3N_2 + _____H2O \rightarrow ____Ba(OH)_2 + ____NH_3 f. ____HNO_2 \rightarrow _____HNO_3 ___NO + ____H2O

20. Balance the following equation: $NH_4OH(l) + KAl(SO_4)_2 \bullet 12H_2O \rightarrow Al(OH)_3(s) + (NH_4)_2(SO_4) + KOH(aq) + H_2O(l)$

- 21. Balance the following equation: _Fe(s) + __HC₂H₃O₂(aq) \rightarrow __Fe (C₂H₃O₂)₂ (aq) + __H₂(g)
 - 22. How many grams of sodium hydroxide are required to form 51.63 g of lead hydroxide? $Pb(NO_3)_2 + NaOH \rightarrow Pb(OH)_2 + NaNO_3$ (unbalanced)
 - 23. How may grams of water vapor can be generated from the combustion of 18.74 g of ethanol?
 - How many grams of potassium iodide are necessary to completely react with 20.61 g of mercury (II) chloride?
 HgCl₂ + KI → Hgl₂ + KCI (unbalanced)

- 25. How many grams of oxygen are needed to completely react with 22.8g or methane, CH₄. (Please write the entire reaction)
- 26. If, in the previous problem, only 25.9g of water vapor were formed, how many grams of methane actually reacted with oxygen?
- 27. What mass of calcium carbonate, CaCO₃, would be formed if 248.6g of carbon dioxide, CO₂, were exhaled into limewater, Ca(OH)₂,? How many grams of calcium would be needed to form that amount of calcium carbonate? Assume 100% yield in each reaction.
- 28. The following reaction is used to form lead iodide crystals. What mass of crystal (PbI₂) could be formed from 1.0 x 10³g of lead (II) acetate [Pb(C₂H₃O₂)₂]? Pb(C₂H₃O₂)₂ + 2KI → PbI₂ + 2KC₂H₃O₂
- You were hired by a laboratory to recycle 6 moles of silver ions. You were given 150.g of copper. How many grams of silver can you recover using the following reaction? Is this enough copper to recycle 6 moles of silver ions?
 2 Ag⁺ + Cu → 2Ag + Cu²⁺
- 30. If 42.7 g Cr_2O_3 and 9.8 g Al are mixed and reacted until one of the reactants is used via a single replacement reaction,
 - a. Which reactant is the limiting reactant and which is in excess?

- b. How many grams of chromium will be formed?
- c. How much excess reactant will be left?

The following problem sets are from the textbook and are optional.

Problem Sets:

Chapter 1: (pages 32-38)

#22, 24, 26, 28, 30, 32, 34, 38, 40, 52, 54, 56, 58, 60, 64, 70, 74, 80, 84, 104, and 106.

Chapter 2: (pages 70-75)

#18, 20, 22, 26, 28, 30, 32, 34, 36, 38, 52, 54, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 88, 96, 98, 104, 106, 108, and 110.

Chapter 3: (pages 119-128)

#26, 28, 30, 32, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 66, 68, 72, 78, 80, 82, 84, 90, 92, 94, 100, 102, 108, 112, 114, 118, 122, 124, 126, 128, 152, 154, 156, and 158.

You will have an exam on this material the 2nd day of class!

Part IV: Signed Safety Contract

Click <u>here</u> for a copy of the safety rules and contract.

Print all pages out and sign the contract and bring on the first day of school.